

SP & SEA WATER SUBMERSIBLE PUMP

50Hz



Guangdong Jiangmen Liyuan Pump Co.,Ltd

7SP Series S.S.304 Submersible Pump

NO	Model No.	Domestic Model No.	Power	Current	Flow/Head m³/h			Pump Weight	Pump Length	Outlet	Max Outer Dia.	
			KW	A				(Kg)	(mm)	mm	mm	
1	B7-10-02	B175QJ10-32/02	2. 2	5.6	8m³/34m	10m³/32m	15m³/30m	16	256	50	168	
2	B7-10-03	B175QJ10-48/03	3	7.8	8m³/51m	10m³/48m	15m³/45m	19	309			
3	B7-10-04	B175QJ10-64/04	4	10. 1	8m³/68m	10m³/64m	15m³/60m	23	362			
4	B7-10-05	B175QJ10-80/05	5.5	13.6	8m³/85m	10m³/80m	15m³/75m	26	415			
5	B7-10-06	B175QJ10-96/06	5.5	13.6	8m³/102m	10m³/96m	15m³/90m	29	468			
6	B7-10-07	B175QJ10-112/07	7. 5	18.4	8m³/119m	10m³/112m	15m³/105m	33	521			
7	B7-10-08	B175QJ10-128/08	7. 5	18.4	8m³/136m	10m³/128m	15m³/120m	36	574			
8	B7-10-09	B175QJ10-144/09	9. 2	22. 1	8m³/153m	10m³/144m	15m³/135m	39	627			
9	B7-10-10	B175QJ10-160/10	9. 2	22. 1	8m³/170m	10m³/160m	15m³/150m	43	680			
10	B7-10-11	B175QJ10-176/11	11	26. 1	8m³/187m	10m³/176m	15m³/165m	46	733			
11	B7-10-12	B175QJ10-192/12	11	26. 1	8m³/204m	10m³/192m	15m³/180m	49	786			
12	B7-10-13	B175QJ10-208/13	13	30. 1	8m³/221m	10m³/208m	15m³/195m	52	839			
13	B7-10-20	B175QJ10-320/20	18. 5	42.6	8m³/340m	10m³/320	15m³/300m	76	1210			
14	B7-20-03	B175QJ20-48/03	5. 5	13.6	15m³/51m	20m³/48m	25m³/45m	23	382	65	168	
15	B7-20-04	B175QJ20-64/04	5. 5	13.6	15m³/68m	20m³/64m	25m³/58m	28	441			
16	B7-20-05	B175QJ20-80/05	7. 5	18.4	15m³/85m	20m³/80m	253/72m	32	500			
17	B7-20-06	B175QJ20-96/06	9. 2	22. 1	15m³/103m	20m³/96m	25m³/88m	37	560			
18	B7-20-07	B175QJ20-112/07	11	26. 1	15m³/119m	20m³/112m	25m³/100m	41	618			
19	B7-20-08	B175QJ20-128/08	13	30. 1	15m³/136m	20m³/128m	25m³/115m	46	677			
20	B7-20-09	B175QJ20-144/09	15	34.7	15m³/153m	20m³/144m	25m³/130m	50	736			
21	B7-20-10	B175QJ20-160/10	15	34.7	15m³/170m	20m³/160m	25m³/145m	55	795			
22	B7-20-11	B175QJ20-176/11	18. 5	42.6	15m³/187m	20m³/176m	25m³/160m	59	854			
23	B7-20-13	B175QJ20-208/13	18. 5	42.6	15m³/221m	20m³/208m	25m³/189m	68	972			
24	B7-20-17	B175QJ20-272/17	25	56.6	15m³/290m	20m³/272m	25m³/248m	86	1208			
25	B7-35-02	B175QJ35-27/02	5. 5	13.2	22m³/33m	35m³/27m	41m³/22m	17	320	80	168	
26	B7-35-03	B175QJ35-41/03	7. 5	18.4	22m³/47m	35m³/41m	41m³/34m	20	376			
27	B7-35-04	B175QJ35-54/04	9. 2	22. 1	22m³/63m	35m³/54m	41m³/45m	23	433			
28	B7-35-05	B175QJ35-68/05	11	26. 1	22m³/79m	35m³/68m	41m³/56m	27	490			
29	B7-35-06	B175QJ35-82/06	13	30. 1	22m³/94m	35m³/82m	41m³/67m	31	547			
30	B7-35-07	B175QJ35-95/07	15	34.7	22m³/110m	35m³/95m	41m³/78m	34	604			
31	B7-35-08	B175QJ35-109/08	18. 5	42.6	22m³/125m	35m³/109m	41m³/90m	38	661			
32	B7-35-09	B175QJ35-122/09	22	49.7	22m³/141m	35m³/122m	41m³/100m	41	718			
33	B7-35-10	B175QJ35-136/10	22	49.7	22m³/156m	35m³/136m	41m³/112m	45	775			
34	B7-35-11	B175QJ35-150/11	25	56.6	22m³/171m	35m³/150m	41m³/122m	48	832			
35	B7-35-12	B175QJ35-162/12	30	67.8	22m³/188m	35m³/162m	41m³/133m	52	890			
36	B7-50-02	B175QJ50-29/02	7. 5	18.4	37m³/34m	50m³/29m	55m³/23m	18	333	80	168	
37	B7-50-03	B175QJ50-44/03	11	26. 1	37m³/52m	50m³/44m	55m³/34m	22	397			
38	B7-50-04	B175QJ50-59/04	15	34.7	37m³/69m	50m³/59m	55m³/45m	26	461			
39	B7-50-05	B175QJ50-73/05	18. 5	42.6	37m³/85m	50m³/73m	55m³/57m	30	525			
40	B7-50-06	B175QJ50-88/06	22	49.7	37m³/103m	50m³/88m	55m³/70m	34	590			
41	B7-50-07	B175QJ50-103/07	25	56.6	37m³/120m	50m³/103m	55m³/80m	38	653			
42	B7-50-08	B175QJ50-117/08	30	67.8	37m³/138m	50m³/117m	55m³/92m	42	717			
43	B7-50-09	B175QJ50-132/09	30	67.8	37m³/155m	50m³/132m	55m³/105m	46	781			

8SP Series S.S.304 Submersible Pump

NO	Model No.	Domestic Model No.	Power	Current	Flow/Head m ³ /h			Pump Weight	Pump Length	Outlet	Max Outer Dia.	
			KW	A				(Kg)	(mm)	mm	mm	
1	B8-20-01	B200QJ20-20/01	3	7.9	15m ³ /22m	20m ³ /20m	25m ³ /17m	18	352	70	184	8"
2	B8-20-02	B200QJ20-40/02	4	10.1	15m ³ /44m	20m ³ /40m	25m ³ /34m	26	454			
3	B8-20-03	B200QJ20-60/03	5.5	13.6	15m ³ /66m	20m ³ /60m	25m ³ /51m	34	556			
4	B8-20-04	B200QJ20-80/04	7.5	18	15m ³ /88m	20m ³ /80m	25m ³ /68m	42	658			
5	B8-20-05	B200QJ20-100/05	9.2	21.7	15m ³ /110m	20m ³ /100m	25m ³ /85m	50	760			
6	B8-20-06	B200QJ20-120/06	13	29.8	15m ³ /132m	20m ³ /120m	25m ³ /102m	58	862			
7	B8-20-08	B200QJ20-160/08	15	33.9	15m ³ /176m	20m ³ /160m	25m ³ /136m	74	1066			
8	B8-20-09	B200QJ20-180/09	18.5	41.6	15m ³ /198m	20m ³ /180m	25m ³ /153m	82	1168			
9	B8-20-10	B200QJ20-200/10	22	48.2	15m ³ /220m	20m ³ /200m	25m ³ /170m	90	1270			
10	B8-20-11	B200QJ20-220/11	22	48.2	15m ³ /242m	20m ³ /220m	25m ³ /187m	98	1372			
11	B8-20-15	B200QJ20-300/15	30	65.4	15m ³ /330m	20m ³ /300m	25m ³ /255m	130	1780			
12	B8-20-18	B200QJ20-360/18	37	79.7	15m ³ /396m	20m ³ /360m	25m ³ /306m	154	2086			
13	B8-20-20	B200QJ20-400/20	37	79.7	15m ³ /440m	20m ³ /400m	25m ³ /340m	170	2290			
14	B8-20-21	B200QJ20-420/21	45	96.9	15m ³ /462m	20m ³ /420m	25m ³ /357m	178	2392			
15	B8-20-25	B200QJ20-500/25	55	114.3	15m ³ /550m	20m ³ /500m	25m ³ /425m	210	2800	192		
16	B8-20-29	B200QJ20-580/29	55	114.3	15m ³ /638m	20m ³ /580m	25m ³ /493m	242	3208			
17	B8-20-33	B200QJ20-660/33	63	130.9	15m ³ /726m	20m ³ /660m	25m ³ /561m	274	3616			
18	B8-20-36	B200QJ20-720/36	75	155.3	15m ³ /792m	20m ³ /720m	25m ³ /612m	298	3922			
19	B8-20-40	B200QJ20-800/40	75	155.3	15m ³ /880m	20m ³ /800m	25m ³ /680m	330	4330			
20	B8-20-43	B200QJ20-860/43	90	188.3	15m ³ /946m	20m ³ /860m	25m ³ /731m	354	4636	80	184	
21	B8-32-01	B200QJ32-20/01	3	7.9	25m ³ /21m	32m ³ /20m	40m ³ /17m	19	379			
22	B8-32-02	B200QJ32-40/02	5.5	13.6	25m ³ /42m	32m ³ /40m	40m ³ /34m	27	507			
23	B8-32-03	B200QJ32-60/03	9.2	21.7	25m ³ /63m	32m ³ /60m	40m ³ /51m	36	636			
24	B8-32-04	B200QJ32-80/04	11	25.8	25m ³ /84m	32m ³ /80m	40m ³ /68m	44	764			
25	B8-32-05	B200QJ32-100/05	15	33.9	25m ³ /105m	32m ³ /100m	40m ³ /85m	53	893			
26	B8-32-06	B200QJ32-120/06	18.5	41.6	25m ³ /126m	32m ³ /120m	40m ³ /102m	61	1021			
27	B8-32-07	B200QJ32-140/07	22	48.2	25m ³ /147m	32m ³ /140m	40m ³ /120m	70	1150			
28	B8-32-08	B200QJ32-160/08	25	54.5	25m ³ /168m	32m ³ /160m	40m ³ /136m	78	1278			
29	B8-32-10	B200QJ32-200/10	30	65.4	25m ³ /210m	32m ³ /200m	40m ³ /170m	95	1535			
30	B8-32-13	B200QJ32-260/13	37	79.7	25m ³ /273m	32m ³ /260m	40m ³ /221m	121	1921			
31	B8-32-15	B200QJ32-300/15	45	96.9	25m ³ /315m	32m ³ /300m	40m ³ /255m	138	2178			
32	B8-32-17	B200QJ32-340/17	55	114.3	25m ³ /357m	32m ³ /340m	40m ³ /290m	155	2435		192	
33	B8-32-20	B200QJ32-400/20	63	130.9	25m ³ /420m	32m ³ /400m	40m ³ /340m	180	2820			
34	B8-32-22	B200QJ32-440/22	75	155.3	25m ³ /462m	32m ³ /440m	40m ³ /374m	197	3077			
35	B8-32-30	B200QJ32-600/30	90	188.3	25m ³ /630m	32m ³ /600m	40m ³ /510m	265	4105			
36	B8-32-33	B200QJ32-660/33	100	210.5	25m ³ /693m	32m ³ /660m	40m ³ /561m	290	4491			
37	B8-32-36	B200QJ32-720/36	110	233.6	25m ³ /756m	32m ³ /720m	40m ³ /612m	316	4876			
38	B8-32-43	B200QJ32-860/43	125	255.4	25m ³ /903m	32m ³ /860m	40m ³ /731m	376	5776			

8"



8SP Series S.S.304 Submersible Pump

NO	Model No.	Domestic Model No.	Power	Current	Flow/Head m³/h			Pump Weight	Pump Length	Outlet	Max Outer Dia.		
			KW	A				(Kg)	(mm)		mm	mm	
1	B8-50-02	B200QJ50-40/02	9.2	21.7	40m³/44m	50m³/40m	60m³/32m	28	510	80	184	8”  	
2	B8-50-03	B200QJ50-60/03	13	29.8	40m³/66m	50m³/60m	60m³/48m	36	640				
3	B8-50-04	B200QJ50-80/04	18.5	41.6	40m³/88m	50m³/80m	60m³/64m	44	770				
4	B8-50-05	B200QJ50-100/05	25	54.5	40m³/110m	50m³/100m	60m³/80m	52	900				
5	B8-50-07	B200QJ50-140/07	30	65.4	40m³/154m	50m³/140m	60m³/112m	68	1160				
6	B8-50-08	B200QJ50-160/08	37	79.7	40m³/176m	50m³/160m	60m³/128m	76	1290				
7	B8-50-10	B200QJ50-200/10	45	96.9	40m³ /220m	50m³/200m	60m³/160m	92	1550		192		 
8	B8-50-12	B200QJ50-240/12	55	114.3	40m³ /264m	50m³/240m	60m³/192m	108	1810				
9	B8-50-13	B200QJ50-260/13	63	130.9	40m³ /290m	50m³/260m	60m³ /208m	122	2120				
10	B8-50-15	B200QJ50-300/15	75	155.3	40m³ /330m	50m³/300m	60m³ /240m	138	2380				
11	B8-50-18	B200QJ50-360/18	90	188.3	40m³ /396m	50m³/360m	60m³ /288m	162	2770				
12	B8-50-20	B200QJ50-400/20	100	210.5	40m³ /440m	50m³/400m	60m³ /320m	178	3030				
13	B8-50-28	B200QJ50-560/28	125	255.4	40m³/616m	50m³/560m	60m³/448m	242	4070				
14	B8-80-01	B200QJ80-17/01	7.5	18	63m³/20m	80m³/17m	100m³/13m	21.5	395				
15	B8-80-02	B200QJ80-34/02	11	25.8	63m³/40m	80m³/34m	100m³/26m	31	540				
16	B8-80-03	B200QJ80-51/03	18.5	41.6	63m³/60m	80m³51m	100m³/39m	41	685				
17	B8-80-04	B200QJ80-68/04	25	54.5	63m³/80m	80m³/68m	100m³/52m	50	830				
18	B8-80-05	B200QJ80-85/05	30	65.4	63m³/100m	80m³85m	100m³/65m	60	975				
19	B8-80-06	B200QJ80-102/06	37	79.7	63m³/120m	80m³/102m	100m³/78m	69	1120				
20	B8-80-07	B200QJ80-120/07	45	96.9	63m³/140m	80m³/120m	100m³/91m	79	1265				
21	B8-80-09	B200QJ80-153/09	55	114.3	63m³/180m	80m³/153m	100m³/117m	98	1555				
22	B8-80-10	B200QJ80-170/10	63	130.9	63m³ /200m	80m³/170m	100m³/130m	107	1700				
23	B8-80-12	B200QJ80-204/12	75	155.3	63m³ /240m	80m³/204m	100m³/156m	126	1990				
24	B8-80-13	B200QJ80-221/13	90	188.3	63m³ /260m	80m³221m	100m³/169m	142	2315				
25	B8-80-15	B200QJ80-255/15	90	188.3	63m³ /300m	80m³255m	100m³/195m	160	2605				
26	B8-80-17	B200QJ80-289/17	100	210.5	63m³ /340m	80m³/289m	100m³/221m	180	2895				
27	B8-80-20	B200QJ80-340/20	125	255.4	63m³ /400m	80m³/340m	100m³ /260m	208	3330	125	184		
28	B8-125-01	B200QJ125-16/01	9.2	21.7	110m³/18m	125m³/16m	140m³/14m	400	22				
29	B8-125-02	B200QJ125-32/02	18.5	41.6	110m³/35m	125m³32m	140m³/28m	550	32				
30	B8-125-03	B200QJ125-48/03	25	54.5	110m³/53m	125m³/48m	140m³/42m	700	42				
31	B8-125-04	B200QJ125-64/04	37	79.7	110m³/70m	125m³/64m	140m³/56m	850	52				
32	B8-125-05	B200QJ125-80/05	45	96.9	110m³/88m	125m³/80m	140m³/70m	1000	62				
33	B8-125-06	B200QJ125-96/06	55	114.3	110m³/105m	125m³/96m	140m³/84m	1150	72		192		
34	B8-125-07	B200QJ125-112/07	63	130.9	110m³/123m	125m³112m	140m³/98m	1300	82				
35	B8-125-08	B200QJ125-128/08	75	155.3	110m³/140m	125m³/128m	140m³/112m	1450	92				
36	B8-125-09	B200QJ125-144/09	90	188.3	110m³/158m	125m³/144m	140m³/126m	1600	102				
37	B8-125-10	B200QJ125-160/10	90	188.3	110m³/175m	125m³160m	140m³/140m	1750	112				
38	B8-125-11	B200QJ125-176/11	100	210.5	110m³/193m	125m³176m	140m³/154m	1900	122				
39	B8-125-12	B200QJ125-192/12	110	233.6	110m³/210m	125m³/192m	140m³/168m	2050	132				
40	B8-125-13	B200QJ125-208/13	110	233.6	110m³ /228m	125m³ /208m	140m³/182m	2200	142				
41	B8-125-14	B200QJ125-224/14	125	255.4	110m³ /245m	125m³ /224m	140m³/196m	2350	152				

10SP Series S.S.304 Submersible Pump

NO	Model No.	Domestic Model No.	Power	Current	Flow/Head m³/h			Pump Weight	Pump Length	Outlet	Max Outer Dia.	
			KW	A				(Kg)	(mm)	mm	mm	
1	B10-80-01	B250QJ80-33/01	11	25.8	63m³/35m	80m³/33m	100m³/30m	25	402	100	240	10"
2	B10-80-02	B250QJ80-66/02	22	54.5	63m³/70m	80m³/66m	100m³/60m	37	552			
3	B10-80-03	B250QJ80-99/03	37	79.7	63m³/105m	80m³/99m	100m³/90m	50	702			
4	B10-80-04	B250QJ80-132/04	55	114.3	63m³/140m	80m³/132m	100m³/120m	62	852			
5	B10-80-05	B250QJ80-165/05	63	130.9	63m³/175m	80m³/165m	100m³/150m	75	1002			
6	B10-80-06	B250QJ80-198/06	75	154.1	63m³/210m	80m³/198m	100m³/180m	87	1152			
7	B10-80-07	B250QJ80-231/07	90	185	63m³/245m	80m³/231m	100m³/210m	100	1302			
8	B10-80-08	B250QJ80-264/08	100	205	63m³/280m	80m³/264m	100m³/240m	112	1452			
9	B10-80-09	B250QJ80-297/09	110	230	63m³/315m	80m³/297m	100m³/270m	125	1602			
10	B10-80-10	B250QJ80-330/10	125	255	63m³/350m	80m³/330m	100m³/300m	137	1752			
11	B10-80-11	B250QJ80-363/11	132	269	63m³/385m	80m³/363m	100m³/330m	150	1902			
12	B10-80-12	B250QJ80-396/12	140	288	63m³/420m	80m³/396m	100m³/360m	162	2052			
13	B10-80-13	B250QJ80-429/13	150	305	63m³/455m	80m³/429m	100m³/390m	175	2202			
14	B10-80-14	B250QJ80-462/14	185	375	63m³/490m	80m³/462m	100m³/420m	187	2352			
15	B10-125-01	B250QJ125-30/01	18.5	41.8	110m³/33m	125m³/30m	140m³/25m	24	389	125	240	
16	B10-125-02	B250QJ125-60/02	37	79.7	110m³/66m	125m³/60m	140m³/50m	36	526			
17	B10-125-03	B250QJ125-90/03	55	114.3	110m³/99m	125m³/90m	140m³/75m	48	663			
18	B10-125-04	B250QJ125-120/04	75	154.1	110m³/132m	125m³/120m	140m³/100m	60	800			
19	B10-125-05	B250QJ125-150/05	90	185	110m³/165m	125m³/150m	140m³/125m	72	937			
20	B10-125-06	B250QJ125-180/06	110	233.6	110m³/198m	125m³/180m	140m³/150m	84	1074			
21	B10-125-07	B250QJ125-210/07	125	255	110m³/231m	125m³/210m	140m³/175m	96	1211			
22	B10-125-08	B250QJ125-240/08	140	288	110m³/264m	125m³/240m	140m³/200m	108	1348			
23	B10-125-09	B250QJ125-270/09	150	304	110m³/297m	125m³/270m	140m³/225m	120	1485			
24	B10-125-10	B250QJ125-300/10	185	375	110m³/330m	125m³/300m	140m³/250m	132	1622			
25	B10-125-11	B250QJ125-330/11	185	375	110m³/363m	125m³/330m	140m³/275m	144	1759			
26	B10-160-01	B250QJ160-25/01	18.5	41.8	140m³/28m	160m³/25m	180m³/21m	24	392	125	240	
27	B10-160-02	B250QJ160-50/02	37	79.7	140m³/56m	160m³/50m	180m³/42m	36	532			
28	B10-160-03	B250QJ160-75/03	55	114.3	140m³/84m	160m³/75m	180m³/63m	48	672			
29	B10-160-04	B250QJ160-100/04	75	154.1	140m³/110m	160m³/100m	180m³/84m	60	812			
30	B10-160-05	B250QJ160-125/05	90	185	140m³/140m	160m³/125m	180m³/105m	72	952			
31	B10-160-07	B250QJ160-175/07	132	269	140m³/195m	160m³/175m	180m³/147m	96	1232			
32	B10-160-08	B250QJ160-200/08	140	288	140m³/223m	160m³/200m	180m³/168m	108	1372			
33	B10-160-09	B250QJ160-225/09	160	325	140m³/250m	160m³/225m	180m³/189m	120	1512			
34	B10-160-10	B250QJ160-250/10	185	375	140m³/280m	160m³/250m	180m³/210m	132	1652			
35	B10-200-01	B250QJ200-25/01	22	48.2	200m³/25m	230m³/22m	250m³/20m	48.6	434	150	240	
36	B10-200-02	B250QJ200-50/02	45	96.9	200m³/50m	230m³/44m	250m³/40m	75.6	616			
37	B10-200-03	B250QJ200-75/03	63	130.9	200m³/75m	230m³/66m	250m³/60m	102.6	798			
38	B10-200-04	B250QJ200-100/04	90	185	200m³/100m	230m³/88m	250m³/80m	129.6	980			
39	B10-200-05	B250QJ200-125/05	110	230	200m³/125m	230m³/110m	250m³/100m	156.6	1162			
40	B10-200-06	B250QJ200-150/06	132	269	200m³/150m	230m³/132m	250m³/120m	183.6	1344			
41	B10-200-07	B250QJ200-175/07	150	304	200m³/175m	230m³/154m	250m³/140m	210.6	1526			
42	B10-200-08	B250QJ200-200/08	185	375	200m³/200m	230m³/176m	250m³/160m	237.6	1708			



12SP 14SP Series S.S.304 Submersible Pump

NO	Model No.	Domestic Model No.	Power	Current	Flow/Head m ³ /h			Pump Weight	Pump Length	Outlet	Max Outer Dia.
			KW	A				(Kg)	(mm)	mm	mm
1	B12-220-01	B300QJ220-27/01	25	54.5	200m ³ /29m	220m ³ /27m	260m ³ /22m	27	422	150	230 280 12" 14"
2	B12-220-02	B300QJ220-54/02	55	114.3	200m ³ /58m	220m ³ /54m	260m ³ /44m	40	577		
3	B12-220-03	B300QJ220-81/03	75	155.3	200m ³ /87m	220m ³ /81m	260m ³ /66m	54	732		
4	B12-220-04	B300QJ220-108/04	110	230	200m ³ /116m	220m ³ /108m	260m ³ /88m	67	887		
5	B12-220-05	B300QJ220-135/05	132	269	200m ³ /145m	220m ³ /135m	260m ³ /110m	80	1042		
6	B12-220-06	B300QJ220-162/06	160	325	200m ³ /174m	220m ³ /162m	260m ³ /132m	94	1197		
7	B12-220-07	B300QJ220-190/07	185	375	200m ³ /203m	220m ³ /190m	260m ³ /154m	108	1352		
8	B12-220-08	B300QJ220-216/08	220	445	200m ³ /232m	220m ³ /216m	260m ³ /176m	121	1507		
9	B12-220-09	B300QJ220-243/09	260	525	200m ³ /261m	220m ³ /243m	260m ³ /198m	134	1662		
10	B12-220-10	B300QJ220-270/10	260	525	200m ³ /290m	220m ³ /270m	260m ³ /220m	148	1817		
11	B12-220-13	B300QJ220-351/13	350	715	200m ³ /377m	220m ³ /351m	260m ³ /286m	189	2282		
12	B12-220-16	B300QJ220-432/16	420	850	200m ³ /464m	220m ³ /432m	260m ³ /352m	229	2747		
13	B12-330-01	B300QJ330-32/01	55	114.3	300m ³ /35m	330m ³ /32m	400m ³ /28m	30	482	175	260 280
14	B12-330-02	B300QJ330-64/02	100	210	300m ³ /70m	330m ³ /64m	400m ³ /56m	47	710		
15	B12-330-03	B300QJ330-96/03	140	288	300m ³ /105m	330m ³ /96m	400m ³ /84m	64	938		
16	B12-330-04	B300QJ330-128/04	220	445	300m ³ /140m	330m ³ /128m	400m ³ /112m	81	1212		
17	B12-330-05	B300QJ330-160/05	260	525	300m ³ /175m	330m ³ /160m	400m ³ /140m	98	1440		
18	B12-330-06	B300QJ330-192/06	300	610	300m ³ /210m	330m ³ /192m	400m ³ /168m	115	1668		
19	B12-330-07	B300QJ330-224/07	350	715	300m ³ /245m	330m ³ /224m	400m ³ /196m	132	1896		
20	B12-330-08	B300QJ330-256/08	400	815	300m ³ /280m	330m ³ /256m	400m ³ /224m	149	2124		
21	B12-400-01	B300QJ400-36/01	75	155.3	350m ³ /40m	400m ³ /36m	450m ³ /32m	30	480	175	260 280
22	B12-400-02	B300QJ400-72/02	140	288	350m ³ /80m	400m ³ /72m	450m ³ /64m	48	706		
23	B12-400-03	B300QJ400-108/03	220	445	350m ³ /120m	400m ³ /108m	450m ³ /96m	65	987		
24	B12-400-04	B300QJ400-144/04	260	525	350m ³ /160m	400m ³ /144m	450m ³ /128m	82	1204		
25	B12-400-05	B300QJ400-180/05	350	715	350m ³ /200m	400m ³ /180m	450m ³ /160m	100	1430		
26	B12-400-06	B300QJ400-216/06	420	850	350m ³ /240m	400m ³ /216m	450m ³ /192m	117	1656		
27	B14-500-01	B350QJ500-40/01	90	185	400m ³ /50m	500m ³ /40m	550m ³ /30m	39	471	200	345 350
28	B14-500-02	B350QJ500-80/02	185	375	400m ³ /100m	500m ³ /80m	550m ³ /60m	65	688		
29	B14-500-03	B350QJ500-120/03	300	607	400m ³ /150m	500m ³ /120m	550m ³ /90m	91	951		
30	B14-500-04	B350QJ500-160/04	350	715	400m ³ /200m	500m ³ /160m	550m ³ /120m	117	1168		
31	B14-500-05	B350QJ500-200/05	420	850	400m ³ /250m	500m ³ /200m	550m ³ /150m	143	1385		
32	B14-600-1A	B350QJ600-32/1A	75	155.3	540m ³ /35m	600m ³ /32m	750m ³ /25m	36	254	225	345 350
33	B14-600-1B	B350QJ600-39. 5/1B	90	185	540m ³ /42m	600m ³ /40m	750m ³ /33m	37	254		
34	B14-600-1C	B350QJ600-47/1C	110	230	540m ³ /49m	600m ³ /47m	750m ³ /42m	37.5	254		
35	B14-600-01	B350QJ600-54/01	132	269	540m ³ /56m	600m ³ /54m	750m ³ /50m	39	254		
36	B14-600-2A	B350QJ600-69. 5/2A	150	304	540m ³ /75m	600m ³ /70m	750m ³ /54m	64	688		
37	B14-600-2B	B350QJ600-78. 5/2B	185	375	540m ³ /84m	600m ³ /79m	750m ³ /62m	65	688		
38	B14-600-02	B350QJ600-85. 5/02	185	375	540m ³ /91m	600m ³ /86m	750m ³ /70m	66	688		
39	B14-600-3A	B350QJ600-102/3A	220	445	540m ³ /112m	600m ³ /102m	750m ³ /76m	90	734		
40	B14-600-3B	B350QJ600-116/3B	260	525	540m ³ /124m	600m ³ /116m	750m ³ /92m	91	734		
41	B14-600-03	B350QJ600-137. 5/03	300	607	540m ³ /145m	600m ³ /138m	750m ³ /114m	92	734		
42	B16-1000-1A	B400QJ1000-29. 5/1A	132	269	900m ³ /36m	1000m ³ /30m	1080m ³ /26m	60	595	250	345 350
43	B16-1000-1B	B400QJ1000-38. 5/1B	150	305	900m ³ /44m	1000m ³ /39m	1080m ³ /35m	62	595		
44	B16-1000-1C	B400QJ1000-45. 5/1C	185	375	900m ³ /51m	1000m ³ /46m	1080m ³ /42m	63	595		
45	B16-1000-1D	B400QJ1000-50/1D	185	375	900m ³ /55m	1000m ³ /50m	1080m ³ /47m	64	595		
46	B16-1000-01	B400QJ1000-59. 5/01	220	445	900m ³ /63m	1000m ³ /60m	1080m ³ /57m	65	640		
47	B16-1000-2A	B400QJ1000-60. 5/2A	260	525	900m ³ /74m	1000m ³ /61m	1080m ³ /51m	104	980		
48	B16-1000-2B	B400QJ1000-76. 5/2B	300	607	900m ³ /88m	1000m ³ /77m	1080m ³ /69m	106	980		
49	B16-1000-2C	B400QJ1000-95/2C	350	715	900m ³ /104m	1000m ³ /95m	1080m ³ /88m	108	980		
50	B16-1000-02	B400QJ1000-108. 5/02	400	815	900m ³ /117m	1000m ³ /109m	1080m ³ /103m	110	980		



12SP 14SP Series S.S.304 Submersible Pump

NO	Model No.	Domestic Model No.	Power	Current	Flow/Head m³/h			Pump Weight	Pump Length	Outlet	Max Outer Dia.		
			KW	A				(Kg)	(mm)				mm
1	4P-B14-200-01	4P-B350QJ200-13/01	11	25.8	150m³/14m	200m³/13m	250m³/11m	44	471	225	350	12" 14"	
2	4P-B14-200-02	4P-B350QJ200-26/02	22	48.2	150m³/28m	200m³/26m	250m³/22m	70	688				
3	4P-B14-200-03	4P-B350QJ200-38/03	37	79.7	150m³/42m	200m³/38m	250m³/33m	96	905				
4	4P-B14-200-04	4P-B350QJ200-51/04	45	96.9	150m³/56m	200m³/51m	250m³/44m	123	1122				
5	4P-B14-200-05	4P-B350QJ200-63/05	55	114.3	150m³/70m	200m³/63m	250m³/55m	150	1339				
6	4P-B14-200-06	4P-B350QJ200-76/06	63	130.9	150m³/84m	200m³/76m	250m³/66m	176	1556				
7	4P-B14-200-07	4P-B350QJ200-88/07	75	154.1	150m³/98m	200m³/88m	250m³/77m	203	1773				
8	4P-B14-200-08	4P-B350QJ200-101/08	90	185	150m³/112m	200m³/101m	250m³/88m	229	1990				
9	4P-B14-200-09	4P-B350QJ200-113/09	100	205	150m³/126m	200m³/113m	250m³/99m	255	2207				
10	4P-B14-200-10	4P-B350QJ200-125/10	110	230	150m³/140m	200m³/125m	250m³/110m	282	2424				
11	4P-B14-200-12	4P-B350QJ200-150/12	140	288	150m³/168m	200m³/150m	250m³/132m	335	2858				
12	4P-B14-200-15	4P-B350QJ200-188/15	185	375	150m³/210m	200m³/188m	250m³/165m	414	3509				
13	4P-B14-200-17	4P-B350QJ200-213/17	185	375	150m³/238m	200m³/213m	250m³/187m	467	3943				
14	4P-B14-200-18	4P-B350QJ200-225/18	220	445	150m³/252m	200m³/225m	250m³/198m	494	4160				
15	4P-B14-200-20	4P-B350QJ200-250/20	220	445	150m³/280m	200m³/250m	250m³/220m	547	4594				
16	4P-B14-300-01	4P-B350QJ300-13/01	18.5	41.6	300m³/13m	350m³/12m	400m³/11m	42	469	225	350		
17	4P-B14-300-02	4P-B350QJ300-26/02	37	79.7	300m³/26m	350m³/24m	400m³/22m	68	686				
18	4P-B14-300-03	4P-B350QJ300-39/03	63	130.9	300m³/39m	350m³/36m	400m³/33m	94	903				
19	4P-B14-300-04	4P-B350QJ300-52/04	75	154.1	300m³/52m	350m³/48m	400m³/44m	120	1120				
20	4P-B14-300-05	4P-B350QJ300-65/05	90	185	300m³/65m	350m³/60m	400m³/55m	146	1337				
21	4P-B14-300-06	4P-B350QJ300-78/06	100	205	300m³/78m	350m³/72m	400m³/66m	172	1554				
22	4P-B14-300-07	4P-B350QJ300-91/07	120	245	300m³/91m	350m³/84m	400m³/77m	198	1771				
23	4P-B14-300-08	4P-B350QJ300-104/08	140	288	300m³/104m	350m³/96m	400m³/88m	224	1988				
24	4P-B14-300-09	4P-B350QJ300-117/09	160	325	300m³/117m	350m³/108m	400m³/99m	250	2205				
25	4P-B14-300-10	4P-B350QJ300-130/10	185	375	300m³/130m	350m³/120m	400m³/110m	276	2422				
26	4P-B14-300-11	4P-B350QJ300-156/11	185	375	300m³/143m	350m³/132m	400m³/121m	302	2639				
27	4P-B14-300-12	4P-B350QJ300-160/12	220	445	300m³/156m	350m³/144m	400m³/132m	328	2856				
28	4P-B16-500-01	4P-B400QJ500-17/01	37	79.7	450m³/17m	500m³/15m	550m³/14m	70	778	250	385		
29	4P-B16-500-02	4P-B400QJ500-34/02	63	130.9	450m³/34m	500m³/30m	550m³/28m	115	1118				
30	4P-B16-500-03	4P-B400QJ500-51/03	100	205	450m³/51m	500m³/45m	550m³/42m	160	1458				
31	4P-B16-500-04	4P-B400QJ500-68/14	140	288	450m³/68m	500m³/60m	550m³/56m	205	1798				
32	4P-B16-500-05	4P-B400QJ500-85/05	185	375	450m³/85m	500m³/75m	550m³/70m	250	2138				
33	4P-B16-500-06	4P-B400QJ500-102/06	220	445	450m³/102m	500m³/90m	550m³/84m	295	2478				
34	4P-B18-800-01	4P-B500QJ800-18/01	63	130.9	600m³/19m	800m³/18m	900m³/17m	140	818	300	450		
35	4P-B18-800-02	4P-B500QJ800-36/02	120	245	600m³/38m	800m³/36m	900m³/34m	235	1198				
36	4P-B18-800-03	4P-B500QJ800-54/03	185	375	600m³/57m	800m³/54m	900m³/51m	331	1578				
37	4P-B18-1000-01	4P-B500QJ1000-18/01	75	154.1	900m³/19m	1000m³/18m	1100m³/17m	150	820	300	450		
38	4P-B18-1000-02	4P-B500QJ1000-36/02	160	325	900m³/38m	1000m³/36m	1100m³/34m	245	1200				
39	4P-B18-1000-03	4P-B500QJ1000-54/03	220	445	900m³/57m	1000m³/54m	1100m³/51m	341	1580				



S.S.304 or 316L Sea Water Pump-50Hz

NO	Model No.	Power	Current	Flow/Head m ³ /h			Outlet	Max Outer Dia.	
		KW	A				mm	mm	
1	HS20-20	2.2	5.6	15m ³ /22m	20m ³ /20m	25m ³ /17m	100	220	
2	HS32-20	3	7.9	25m ³ /21m	32m ³ /20m	40m ³ /17m	100	220	
3	HS50-20	4	10.1	40m ³ /21m	50m ³ /20m	60m ³ /18m	100	220	
4	HS80-11	4	10.1	60m ³ /13m	80m ³ /11m	100m ³ /9m	100	220	
5	HS80-17	5.5	13.6	60m ³ /20m	80m ³ /17m	100m ³ /15m	100	220	
6	HS80-30	11	25.8	60m ³ /32m	80m ³ /30m	100m ³ /28m	150	275	
7	HS100-13	5.5	13.6	80m ³ /15m	100m ³ /13m	110m ³ /10m	150	275	
8	HS125-16	9.2	21.7	110m ³ /20m	125m ³ /16m	140m ³ /12m	150	275	
9	HS125-30	18.5	41.6	110m ³ /33m	125m ³ /30m	140m ³ /25m	150	275	
10	HS160-25	18.5	41.6	140m ³ /28m	160m ³ /25m	180m ³ /21m	150	275	
11	HS200-10	9.2	21.7	180m ³ /12m	200m ³ /10m	230m ³ /8m	200	320	
12	HS200-15	13	29.8	180m ³ /17m	200m ³ /15m	230m ³ /13m	200	320	
13	HS200-20	18.5	41.6	180m ³ /22m	200m ³ /20m	230m ³ /18m	200	320	
14	HS250-20	22	48.2	230m ³ /22m	250m ³ /20m	300m ³ /18m	200	320	



Guangdong Jiangmen Liyuan Pump Co.,Ltd

No.090-3, Hecheng Road, Hecheng Town, Heshan City, Jiangmen, China

Phone: 0086 750 3818558 ; 0086 750 8385288;

Fax: 0086 750 3121866

Mob: 0086 18128282767

Wechat: 0086 18128282767

Whatsapp: 0086 13422501007

Skype:liyuanpump

Email: Liyuan@liyuan-pump.com

Website: <http://www.liyuan-pump.com>